

*Show Them
Where to Go!*

SNAP-ON TRAFFIC SIGNS AND SAFETY DEVICES



Improve Safety!

SNAP-ON TRAFFIC SIGNS

Reduce Liability!

For Traffic Cones, Barrels and Delineators

DEVELOPED AS A RESULT OF RESEARCH BY THE FEDERAL HIGHWAY ADMINISTRATION


These directional reinforcement devices give supplemental standard warnings and directions creating **SAFER TRAFFIC CONTROL** in the work zone

- Installs in seconds and firmly locks into place
- Reusable, durable, all-weather ABS plastic with UV
- Used by over 2,900 cities and utility companies

EASY SNAP-ON SIGN



CONES



BARRELS

To insert into barrel, cut a 2 1/2" slit here

FITS LIKE A PAPER CLIP



DELINEATORS

- Available in **LARGE VERTICAL** or **STANDARD HORIZONTAL** sizes
- All standard messages in stock
- Custom signs available
- All signs available reflectorized

Manufactured from recycled plastics

Patent No. 4,197,808

Proven Effective!

LARGE VERTICAL

12" W x 13 1/4" L
REFLECTORIZED AVAILABLE



V-SLOW



V-CAUT



V-VOLT



V-MENW



V-LNCL




V-2WKH



V-KEPL



V-KEPR




W6-3NM
Printed on both sides




NEW FEDERAL STANDARD

V-SCWK-R
Reflective/Printed both sides



V-B2W2 (White)



V-B2O2 (Orange)



V-SNLT



V-SNRT




NEW FEDERAL STANDARD

V-XGRD



V-STCL



V-A10L / V-A10R
(Left Arrow) (Right Arrow)



V-OPTR



V-CHEL / V-CHER
(Left Arrow) (Right Arrow)

STANDARD HORIZONTAL

12 3/4" W x 10 1/2" L
REFLECTORIZED AVAILABLE

Custom Signs Available!



A100



AU15



AE10




KEPL



KEPR



HNDY



BCA2



A10L



A10R



WETC



NOSK



MENW



WKAB



2WKH



CAUT



SLOW



FOIL



FLOD




WP50




WETF



SNPD



B2W2



B2O2



STCL



RDCL



LNCL



SWCL



NOTT



OPTR



DET3



SURV



WETT



DNE3



STOP
ReflectORIZED red only



HHAT



SCHZ



SNLT



SNRT



R300



TOWZ



NP60



SNP6



FULL



EXIT




PARK

Locate utility covers under freshly paved asphalt

with the **I.D. LOCATOR**

CUT LABOR COSTS BY 80% OR MORE!


NOW — easily locate and identify striping and all types of water, gas, electric or sewer covers under freshly paved asphalt.



Developed from a new recyclable elastomer, the **I.D. LOCATOR** adheres to any surface and pops-up after being paved over with up to 5 inches of asphalt for easy locating and identification.




PLACE




Developed from new technology, the **I.D. LOCATOR** is easy to use: just peel off the adhesive protective strip and stick the device onto any metal cover or pavement striping prior to paving.

PAVE



Proven effective, this device will withstand truck tires, paving machine tracts and hot asphalt to pop-up after paving, leaving a safe, soft, flexible marker indicating the exact location of covers or striping.

POPS-UP



After paving, street crews can return — days, weeks or months later, to locate paved-over covers, caps, striping or monuments. With the **I.D. LOCATOR**, there's no need for ugly painting or time-consuming searching and surveying. Recovery is fast, accurate and safe.

- Ends time-consuming painting and measuring
- Replaces costly surveying and marking
- Size: 3 1/2" square x 4" high
- Protects against expensive damage to covers and caps
- Prevents inaccurate post-paving searching procedures

GUARANTEED TO WORK!

The **I.D. LOCATOR** will withstand temperatures ranging from -40 to +450 degrees.


Patent No. 5,435,662

SAFETY TRAINING VIDEO

"Safe, Efficient Lane Closure"

For Street and Road Maintenance Crews



- Approved and listed by the U.S. Department of Transportation, Federal Highway Administration. 
- Protect your workers and the motoring public. This ten-minute video is used by over 500 cities.
- How to safely and efficiently close a lane of traffic. Shows standards and procedures as indicated in the Federal and State traffic control manuals.

Manufactured by:

ARROW SIGN COMPANY, INC.

858 3rd Avenue, Los Angeles, CA 90005

(800) 637-7446 Outside California • (323) 936-7446 • Fax (213) 389-6726

website: www.arrowindustry.com • email: info@arrowindustry.com

